

90 AF 1



Response under 37 C.F.R. § 1.116
Expedited Procedure
Examining Group 2882

PATENT
ATTORNEY DOCKET: 46884-5327

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
)
Masayoshi ISHIKAWA et al.) Confirmation No.: 4468
)
Application No.: 10/510,213) Group Art Unit: 2882
)
Filed: August 16, 2005) Examiner: John M. Corbett
)
For: X-RAY TUBE ADJUSTMENT)
APPARATUS, X-RAY TUBE)
ADJUSTMENT SYSTEM, AND)
X-RAY TUBE ADJUSTMENT)
METHOD)

Commissioner for Patents
U.S. Patent and Trademark Office
Customer Window, Mail Stop AF
Alexandria, VA 22314

Sir:

AMENDMENT TRANSMITTAL FORM

1. Transmitted herewith is an Amendment in response to the Office Action dated October 23, 2006.
2. Additional papers enclosed:
 - ☐ Drawings: ___ sheets with ___ figures
 - ☐ Information Disclosure Statement
 - ☐ Form PTO-1449
 - ☐ Citations
 - ☐ Declaration of Biological Deposit
 - ☐ Submission of "Sequence Listing", computer readable copy and/or amendment pertaining thereto for biotechnology invention containing nucleotide and/or amino acid sequence.

OK to Enter Amendment
18 December 2006
JMC